





Every™ Power.

Cummins Power Products.





In today's business world, you need a total package; one that delivers value of ownership, the most advanced technology and second-to-none support. Cummins Power Products offers you a total solution for your power unit needs. We offer a full range of diesel and compressed gas products from 60 to 2500 horsepower with options designed to meet your specific needs.

Power by Design.

What is a 'Power Unit'? Essentially, a power unit is 'torque in a box' specifically engineered to provide a solution for a mechanical power need. Every product we make is powered exclusively by a Cummins engine. Not only do you get the most rugged, reliable and advanced technology available, you also get a global parts and service network. Customized to the unique specifications necessary to meet your power demands, Cummins Power Products designs the right product, with the right fit, to do the job right.

Every Application.

There is value in working with Cummins Power Products. We eliminate the need to search for the right components; we have already done that for you and the result is a package designed specifically for your job. We offer turnkey solutions in both open and enclosed platforms from a standard line of base engine models or a customized unit specifically engineered for a unique piece of equipment in virtually any application. We have the people, processes and products to make it happen. Cummins Power Products employs a qualified engineering staff with decades of experience in Pro/ENGINEER design. Our Power Units are built for everything from brush chippers and rock crushers to dewatering pumps and rail maintenance units. And, if your need for power is larger than that, we also work on mud pumps, frac rigs and other heavy-duty applications.



QSK19 Cummins Power Unit powering a gravel crusher.



QSB6.7 Cummins Power Unit powering a hydraulic pump.



G8.3 Natural Gas Cummins Power Unit in a gas compression application.

The Cummins Power Products Difference.

Quality. Experience. Support. All customized for you. We don't say these things lightly. Our quality standards are unmatched in the Power Unit industry. Through our state-of-the-art production processes and a battery of product tests, each Power Unit provides unparalleled quality and dependability. Since 1997, we have produced over 25,000 Power Units designed to unique standards. And each one has the backing of Cummins worldwide parts and service to support you.


1,500 By Design. 1 For You.

We dedicate our application and design engineers' time to every product we build. With over 1,500 options available, a design may already exist to fit your exact need. If not, Cummins Power Products utilizes virtual prototyping to ensure a correct design and fit for your specific application. Our prototyping is very competitive and allows close accuracy to the actual part production pricing. And with the Tier 4 emission requirements, we have already done the work for you with a number of models available. Some of the customizable options available include:

- Electronic or Mechanical Controls
- Cooling Packages
- Mounting Options
- Intake and Exhaust Locations
- Instrument Panel Locations




QSB6.7 Tier 4(i) beta unit designed to meet the latest emission requirements.



Every Strength.

There is power in our Power Units. Cummins Power Products Power Units last longer because they are built better. Our enclosure housings use 12-gauge steel. All metals are powder-coated, which increases chip resistance and allows our units to pass 1,000-hour salt spray tests. Components are bolted, not welded, so they resist mounting distortion and are easier to service. Each engine design is fully tested by Cummins Power Products to meet or exceed Cummins application guidelines. In addition, the electrical systems on each of our Power Units are tested before they leave our factory. Our Power Units are built and tested to handle the most extreme conditions.



Cummins Power Products advanced engineering Design Process utilizes 3D prototyping in a virtual environment to customize each power unit to the exact needs of the customer and application. QSK38 Tier 2 Cummins Power Unit (above) designed for a Mud Pump Application.

Our Confidence. Total Coverage.

Cummins Power Products Power Units come with a full 2-year/2,000-hour warranty; whichever occurs first, covering all components except the Power Take-Off (PTO). If the 2,000-hour limit is exceeded during the first year, coverage continues until the end of the first year. Our coverage includes the engine, cooling system, instrumentation, air-handling systems, exhaust and the enclosure (if applicable). Warranty claims are handled through Cummins, using established warranty procedures, making it easy for you. Total coverage is part of the total package on every unit, every time.

World-Class Service. Every Time.

Cummins Power Products is a global provider of Power Units. Our value with customers overseas is realized in the dependability and durability of our products. We've shipped units to customers all over the world. And with each Power Unit, comes the backing of Cummins worldwide parts and service network. With over 5,500 authorized service locations around the world, your Power Unit will have support wherever you need it. Qualified technicians and Genuine Cummins Parts are never far away, even from the most remote location.



Every Advantage.

Cummins QuickServe® offers you factory-trained technicians, the most sophisticated diagnostic and repair tools in the industry, and the largest international parts and service network of any engine manufacturer. Our worldwide team of mobile service technicians is always ready to deliver service when and where you need it. Every minute. Every day. Every year. Plus, Cummins distributors have access to an entire library of parts and service information for Cummins engines over the Internet. QuickServe Online provides engine part numbers, diagrams, service bulletins and alerts, up-to-date supersessions and more – 24 hours a day, for nearly 11 million Cummins engines. Cummins Power Products website is linked through QuickServe Online serial number look-up.



Every Contact.

Cummins Power Products offer the best long-term value for your equipment needs and cost of ownership, whether it is designed specifically for your unit or for one of our standard units. To learn more about Cummins Power Units and to realize the power of our design, please contact your local Cummins Distributor location. Find out how we can design the exact power to work for you.

Cummins Power Products.

Engine Ratings GROSS HORSEPOWER (w/o Fan)

ENGINE MODEL	TIER	HORSEPOWER RANGE (BHP)	DISPLACEMENT (CU IN)	LENGTH (IN)	OPEN				ENCLOSED				CENTERLINE HEIGHT (IN)
					WIDTH (IN)	HEIGHT (IN)	WEIGHT (LB)	LENGTH (IN)	WIDTH (IN)	HEIGHT (IN)	WEIGHT (LB)		
DIESEL PRODUCTS													
B3.3NA-P	4(i)	60-65	199	40.20	33.68	47.20	842	47.88	30.00	53.28	884	12.50	
B3.3T-P	4(i)	74	199	40.20	33.68	47.60	842	36.98	30.00	53.28	884	12.50	
B3.3TAA-P	3	75-85	199	53.24	39.49	58.56	1017	41.75	33.68	58.56	1121	12.50	
QSB3.3-P	3	85-110	199	53.24	39.49	58.56	1017	41.75	33.68	58.56	1121	12.50	
B4.5-P	2	80	275	47.40	29.25	69.40	1208	47.44	31.54	58.13	1332	13.06	
B4.5T-P	2	92-99	275	52.30	29.25	65.40	1208	43.00	31.55	60.34	1332	13.06	
QSB4.5-P	3	110-170	275	57.45	31.88	65.40	1270	48.00	31.88	61.82	1461	13.14	
QSB6.7-P	3	190-275	409	68.48	33.91	81.80	1800	58.00	33.91	69.91	2050	14.10	
QSC8.3-P	3	230-305	506	77.25	41.32	82.26	2380	64.75	41.32	81.03	2755	16.50	
QSL9-P	3	300-365	543	77.25	41.32	82.26	2380	64.75	41.32	81.03	2755	16.50	
QSM11-P	3	300-400	660	77.38	46.88	70.07	3394	74.49	43.10	82.22	3718	20.00	
QSX15-P	3	375-630	915	106.25	62.75	84.05	5140	106.25	62.75	94.29	5750	20.00	
QSK19-P	3	560-700	1159	115.13	61.88	78.78	6570	NA	NA	NA	NA	16.02	
QSK19-P	2	525-700	1150	116.13	62.81	78.64	7100	NA	NA	NA	NA	15.88	
QSK19-P	2	755-800	1150	116.13	62.81	78.64	7200	NA	NA	NA	NA	16.00	
QSK19-P	1	755-800	1150	114.25	62.00	78.52	6530	NA	NA	NA	NA	16.02	
QSK23-P	2	760-950	1412	135.38	66.19	84.72	9500	NA	NA	NA	NA	23.00	
QST30-P	1	760-1200	1861	156.00	59.71	92.27	11400	NA	NA	NA	NA	27.00	
QST30-P	1	1350-1500	1861	131.34	95.00	110.66	16120	NA	NA	NA	NA	27.00	
QST30-P	2	760-1200	1861	142.00	82.00	96.71	11400	NA	NA	NA	NA	27.00	
QSK38-P	2	920	2300	148.05	87.25	103.25	15000	NA	NA	NA	NA	30.00	
NATURAL GAS PRODUCTS													
G5.9	NA	41-99	359	65.74	33.91	64.72	1530	64.52	33.91	70.41	1641	17.65	
G5.9e	NA	70-99	359	NA	NA	NA	NA	68.02	33.91	69.51	1899	17.65	
G8.3	NA	99-135	505	67.38	41.32	73.80	1860	60.69	41.32	71.75	2525	17.75	
G8.3e	NA	99-118	505	NA	NA	NA	NA	72.81	41.32	69.26	2444	17.75	
GTA8.3 SLB	NA	175	505	78.50	48.88	71.50	NA	77.25	43.90	75.50	NA	17.75	
GTA8.3	NA	145-200	505	76.52	41.42	84.20	2358	80.15	41.42	71.38	2773	17.75	
G855	NA	157-188	855	92.50	42.76	66.38	3900	NA	NA	NA	NA	22.38	
G855e	NA	157-188	855	83.17	42.70	77.59	3944	NA	NA	NA	NA	22.38	
GTA855	NA	213-286	855	100.00	59.76	74.25	4596	NA	NA	NA	NA	22.38	
GTA855e	NA	225	855	93.00	62.25	84.75	NA	NA	NA	NA	NA	22.38	
KTA19GC	NA	265-420	1125	112.57	60.00	74.87	6495	NA	NA	NA	NA	21.13	
KTA19GC SLB	NA	380-420	1125	104.96	62.25	80.50	6495	NA	NA	NA	NA	21.13	
KTA38GC SLB	NA	635-850	2300	153.78	85.25	100.75	16,500	NA	NA	NA	NA	29.89	

Dimensions and weights will vary slightly depending on the exact engine configuration.
 All ratings are restricted unless otherwise noted. Some ratings are intermittent.
 Height dimensions are measured from bottom of rail to highest point on unit, usually muffler.
 Natural Gas power unit centerline height indicated with high capacity oil pans.

Cummins and Cummins Power Products are pioneers in product improvement. Thus specifications may change without notice. Illustrations may include optional equipment.



Cummins Power Products
21810 Clessie Court
New Hudson, Michigan 48165

Phone: 248-573-1600
Fax: 248-573-4014
Internet: cumminspowerproducts.com

Bulletin 4087018 Printed in U.S.A. Rev. 2/10
©2010 Cummins Inc.